



# Study on the toxicity of inhaled alumina nanoparticles: impact of physicochemical properties and adsorption artifacts on the measurement of biological responses

Mélanie Pailleux, Jérémie Pourchez, Delphine Boudard, Philippe Grosseau,  
Michèle Cottier

## ► To cite this version:

Mélanie Pailleux, Jérémie Pourchez, Delphine Boudard, Philippe Grosseau, Michèle Cottier. Study on the toxicity of inhaled alumina nanoparticles: impact of physicochemical properties and adsorption artifacts on the measurement of biological responses. International Conference on Safe Production and Use of Nanomaterials, Nanosafe 2010, Nov 2010, Grenoble, France. pp.012041, 10.1088/1742-6596/304/1/012041 . hal-00607318

**HAL Id: hal-00607318**

**<https://hal.science/hal-00607318>**

Submitted on 8 Jul 2011

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

## Study on the toxicity of inhaled alumina nanoparticles: impact of physicochemical properties and adsorption artifacts on the measurement of biological responses

MÉLANIE PAILLEUX<sup>(1,5)</sup>, JÉRÉMIE POURCHEZ<sup>(1,2)\*</sup>, DELPHINE BOUDART<sup>(1,3,4)</sup>, PHILIPPE GROSSEAU<sup>(5)</sup>, MICHÈLE COTTIER<sup>(1,3,4)</sup>

<sup>(1)</sup> LINA, Laboratoire Interdisciplinaire d'étude des Nanoparticules Aérosolisées

<sup>(2)</sup> Ecole Nationale Supérieure des Mines de Saint Etienne, Centre CIS ; 158 Cours Fauriel - 42023 Saint-Étienne Cedex 2, France

<sup>(3)</sup> PRES Lyon - Université Jean Monnet, Faculté de Médecine, IFR Inserm 143 - 42023 Saint Etienne Cedex 2 France

<sup>(4)</sup> Laboratoire d'Histologie CHU de Saint-Etienne - 42055 Saint-Etienne, France

<sup>(5)</sup> Ecole Nationale Supérieure des Mines de Saint Etienne, Centre SPIN ; Département PMMC ; LPMG -UMR CNRS 5148, 158 Cours Fauriel - 42023 Saint-Étienne Cedex 2, France

### Abstract

This work aims at developing a multidisciplinary approach to highlight the correlation between the toxicity of alumina engineered nanoparticles (NP) and their physicochemical characteristics. Accuracy of measurements depends on cell production after contact with particles, but also depends on the ability of biomolecules to get adsorbed on the NP [1]. That's why, mechanisms of biomolecules adsorption on NP must be fully understood to avoid misinterpretation of data.

### Keywords:

*Toxicity ; inhalation; ultrafine alumina nanoparticles; lung; laser particles size analyser, specific surface area technique ; BET method ; Photon Correlation Spectroscopy*

## I. Introduction

Aluminum hydroxide is a material used in various applications such as abrasive materials, refractories, substrates for electronic circuits...

At each step of the manufacturing process (synthesis, collection and purification of the powders), workers could be exposed to fine dust suspended in the atmosphere. Inhalation of some types of particles may cause effects on the health such as reduced lung function, respiratory symptoms and increased risk of tumors. Therefore, it is important to evaluate intrinsic toxicity of fine and ultrafine particles of aluminum hydroxide particles.

## II. Materials and methods

### II.1. Physicochemical characterization

We work on an aluminium hydroxide powder. The physicochemical characterizations were done by laser granulometry (Malvern Mastersizer 2000), XRD (D5000, Siemens) and TEM (JEOL 2010). The specific surface area of powders was determined by the BET method using

---

\* Corresponding author : [pourchez@emse.fr](mailto:pourchez@emse.fr)

a nitrogen sorption apparatus (MicroMetrics) and the Photon Correlation Spectroscopy (Zetasizer Nano S, Malvern) was performed in solutions of different pH (pH3.5, pH7 and pH9.4).

## II.2. Toxicity assessment

To assess the biological activity of aluminum hydroxide powder, cells from the RAW 264.7 macrophage cell line were incubated with aluminum hydroxide nanoparticles.

Three parameters were examined:

- ❖ The lactate dehydrogenase (LDH) release: LDH is an enzyme found in the cytoplasm of living cells. In case of alteration of the plasma membrane, LDH is released into the environment.
- ❖ The Tumor Necrosis Factor alpha (TNF- $\alpha$ ) production: TNF- $\alpha$  is a cytokine secreted by macrophages. It reflects the activation of macrophage and acute phase of the inflammatory response.
- ❖ The Reactive Oxygen Species (ROS) production, reflecting the oxidative stress [2-3].

The interactions can be established between these cells and nanoparticles in specific experimental conditions. This study will highlight the correlation between the level of toxicity induced by nanoparticles and their physicochemical properties.

Moreover, biomolecules-nanoparticles interactions were evaluated on a cellular medium measuring both affinity and amount of adsorbed TNF- $\alpha$  on aluminum hydroxide nanoparticles, at equilibrium state (ELISA kit, R&D Systems®).

## III. Results and Conclusion

The different physicochemical characterizations show coherent results, the crystallites size is 10nm. Photon correlation spectroscopy shows that the aggregation of particles in water increases with pH.

Biological activity of aluminum hydroxide was less important than that of the positive control of toxicity (quartz) but also, and unexpectedly, less important than that of cells alone. To determine if this phenomenon was linked with a cytokine adsorption process, we added 75 pg of TNF- $\alpha$  to aluminum nanoparticles, and after a 24h incubation we found 65 pg of TNF- $\alpha$  in cell culture medium, suggesting a significant adsorption of TNF- $\alpha$  on aluminum hydroxide nanoparticles (13%).

In conclusion, cytokine adsorption on nanoparticles could represent an important artifact to take into account for an accurate evaluation of biological responses, especially in order to reliably compare nanoparticles with different physicochemical characteristics.

## References

- [1] Val, S., 2009. Carbon black and titanium dioxide nanoparticles induce pro-inflammatory responses in bronchial epithelial cells: Need for multiparametric evaluation due to adsorption artifacts. *Inhalation Toxicology*, 21, 115-122
- [2] Bruch, J. *et al.*, 2004. Variation of biological responses to different respirable quartz flours determined by a vector model. *Int J Hyg Environ Health*, 207(3), 203-16
- [3] De la Harpe J, Nathan CF. A semi-automated micro-assay for H<sub>2</sub>O<sub>2</sub> release by human blood monocytes and mouse peritoneal macrophages. *J Immunol Methods* 1985;78(2):323-36